## TABLE 33

## SELECTED CHARACTERISTICS OF INDUCED TERMINATIONS OF PREGNANCY REPORTED TO THE TEXAS DEPARTMENT OF HEALTH - 1997

CHARACTERISTIC	NUMBER	CHARACTERISTIC	NUMBER
TOTAL	84,870	WEEKS OF GESTATION	
		8 Weeks or Less	47,715
RESIDENCE	04 500	9-10 Weeks	17,558
Texas	81,526	11-12 Weeks	8,510
Out of State/Country	3,322	13-14 Weeks	4,129
Not Stated	22	15-16 Weeks	2,273
AGE		17-20 Weeks	2,037
11 Years or Less	14	21-24 Weeks	965
	82	25 Weeks or More	103
12-13 Years		Not Stated	1,580
14-15 Years	1,022		
16-17 Years	4,405	TYPE OF PROCEDURE	
18-19 Years 20-24 Years	9,544	Suction Curettage	73,553
	27,619	Medical (Non surgical)	2,539
25-29 Years	20,691	Dilation and Evacuation	7,124
30-34 Years	11,280	Intra-Uterine	41
35-39 Years	6,761	Sharp Curettage	480
40 Years and Over	2,306	Hysterotomy	7
Not Stated	1,146	Other	51
RACE		Not Stated	1,075
Asian	2.076		
Black	2,976	PREVIOUS LIVE BIRTHS	
	18,404	None	36,594
Hispanic Native American	26,633 234	One	23,392
White	33,753	Two	15,761
Other	55,755 670	Three	5974
Not Stated	2,200	Four	1832
Not Stated	2,200	Five or more	878
MARITAL STATUS		Not Stated	439
Married	17,168		
Single	65,791	PREVIOUS ABORTIONS	
Not Stated	1,911	None	50,025
Not Stated	1,911	One	23,044
FACILITY OF OCCURRENCE		Two	7,592
Abortion Clinic	67,678	Three	2,369
Ambulatory Surg. Cntr.	40	Four	748
Hospital	507	Five or more	537
Physicians Office	15,115	Not Stated	555
Other	1,340		
Not Stated	190	PATIENT SURVIVED	
. Tot Oldiod	100	Survived	84,869
		Did Not Survive	1